

BRIDGESTONE

Firestone

Warranty Manual

Replacement Market Passenger and Light Truck Tires

including



Run-Flat Technology (RFT)



Self-Supporting Tires (SST)



Extended Mobility Tires (EMT)



For Tires Sold at
Costco Wholesale
and Costco.com



Costco Wholesale and Costco.com
are Trademarks of Costco Wholesale
Corporation and are used with permission

EN

Effective Date 07/01/2025

REPLACEMENT MARKET

PASSENGER AND LIGHT TRUCK TIRES

WHAT IS AN ELIGIBLE TIRE

Congratulations! You have just purchased quality BRIDGESTONE or FIRESTONE tires from Costco Wholesale or Costco.com (referred to in this section of the manual as DEALER). This limited warranty covers new BRIDGESTONE or FIRESTONE brand passenger and light truck tires.

This limited warranty only applies to the original purchaser, and is valid if all of the following apply:

- The tire was purchased at a Costco Wholesale location or through Costco.com, and primarily used in the continental United States, Alaska, Hawaii, and/or the District of Columbia after June 30, 2025.
- The tire is a size and speed rating equivalent to or greater than that specified by the vehicle manufacturer (exception: coverage applies to properly repaired tires which have voided the tire's speed rating).
- The tire has been used only on the passenger or light truck vehicle on which it was originally installed.
- The tire has not been used in commercial service (exception: certain coverage applies to BRIDGESTONE Duravis and FIRESTONE Transforce tires if used in commercial service).
- The tire is less than 10 (ten) years from the date of tire manufacture.
- Some DEALER locations may not service your warranty unless you hold a current membership and/or have purchased your tires at their location. Check with your DEALER to see if they have specific warranty processing requirements.
- The tire must be classified as a passenger and/or light truck tire. Tires classified as "commercial" tires (truck or bus) are not covered through this limited warranty and are addressed in the appropriate limited warranty manual for commercial tires. Commercial tires are any tire with the following rim sizes: 17.5-inch, 19.5-inch, 22.5-inch, or 24.5-inch.
- The tire was used and maintained in accordance with all the terms contained within this manual and/or the accompanying *Tire Maintenance and Safety* manual available at www.bridgestone.com/customer-care/tire-warranties.
- The Department of Transportation Tire Identification Number (DOT TIN), as marked on the tire sidewall at the time of original manufacture, must be present, legible, and complete. The DOT TIN must not be altered, missing, or removed.

- **IMPORTANT:** By submitting a tire for consideration under this limited warranty you are certifying that the tire was not involved in any accident involving personal injury or property damage other than damage to the tire itself, that the tire is free and clear of all liens, and that you save Bridgestone Americas Tire Operations (BATO) LLC. harmless for any claims or loss resulting from liens on the aforesaid tire. By submitting a tire for consideration under the limited warranty, you are transferring ownership of the tire to Costco Warehouse or BATO regardless of whether the claim for warranty adjustment is accepted or denied.
- This limited warranty contains an arbitration provision. See "ARBITRATION" listed elsewhere in this manual.

WHAT IS WARRANTED and FOR HOW LONG

Upon examination and subject to terms and conditions stated herein, an eligible tire that becomes unusable for any reason within the manufacturer's control will be replaced with an equivalent new BRIDGESTONE or FIRESTONE tire on the basis set forth in this limited warranty. Each tire brand has specific warranty coverage and certain conditions that apply; for details, see "Each Brand's Limited Warranty Coverage."

WHAT THIS LIMITED WARRANTY DOES NOT COVER

This limited warranty does not cover the following:

ROAD HAZARDS/MISAPPLICATION/ABUSE Tire damage or irregular wear due to:

- A. **Road hazards**, including, without limitation: Puncture, cut, impact break, stone drill, bruise, bulge, snag, etc.
- B. **Improper use or operation**, including, without limitation: Improper inflation pressure, overloading, tire/wheel spinning, use of an improper wheel, tire chain damage, misuse, misapplication, negligence, tire alteration, or for racing or competition purposes.
- C. **Insufficient or improper maintenance**, including, without limitation: Failure to rotate tires as recommended in this manual, wheel misalignment, worn suspension components, improper tire mounting or demounting, tire/wheel assembly imbalance, or other vehicle conditions, defects, or characteristics.
- D. **Contamination or degradation**, by the following, including, without limitation: Exposure to petroleum products or other chemicals, fire or other externally generated heat, or water or other material trapped inside the tire during mounting or inflation. Tires with sealant, balance, or other filler material that was not originally applied or inserted by the tire manufacturer. Tires inflated with anything other than air or nitrogen.
- E. **Improper repair.** Improper repair voids this limited warranty.

- F. **For Run-Flat Technology Tires (RFT), Self-Supporting Tires (SST), or Extended Mobility Tires (EMT) only, improper, or low tire pressure operation**, including, without limitation: Exceeding speed, distance, or other run-flat/low-pressure operation limitations.
- G. **The installation of tire accessories**, including, without limitation: Tire sensors or RFID tags, mounted directly to or contacting the tire, and which may impact the tire performance or damage the tire through mounting, use, or removal.

RAPID TREAD WEAR

- A. **Rapid tread wear**, or wear-out. See the Limited Mileage Warranty section of this manual.
- B. **Original equipment tires on new vehicles have no Limited Mileage Warranty. (See separate warranty, if applicable, in your vehicle's glove box.) Tires sold as exact original equipment replacements may have a Limited Mileage Warranty. See the Limited Mileage Warranty section of this manual for details.**
- C. **Tires used in commercial service** have **NO** Limited Mileage Warranty.

RIDE DISTURBANCE

- A. **Due to harsh ride or vibration** after 2/32 inch (1.6 mm) of tread wear use, limited to no more than two (2) tires per vehicle.
- B. **Due to noise** after 2/32 inch (1.6 mm) of tread wear use.
- C. **Due to pulling** after 2/32 inch (1.6 mm) of tread wear use, limited to no more than one (1) tire per vehicle.

IRREGULAR WEAR

- A. **Uneven or unusual wear** patterns, including, without limitation: Shoulder wear, center wear, cupping, or feathering. Irregular wear is not covered under this limited warranty.
- B. **Tires worn more than 2/32-inch** (1.6 mm) difference in remaining tread depth between any two major tread grooves across the tire.

CRACKING

- A. **Weather/ozone cracking after 4 years** from date of tire manufacture, regardless of date of purchase.
- B. **Weather/ozone cracking** is covered only as a prorated charge. Note that shallow surface cracking is common among tires and is not considered as a covered condition. See the appropriate Technical Bulletin for more details.
- C. **Cold weather cracking** of non-winter tires by improper storage or use is **NOT** a covered condition. Some vehicles

have specific recommendations regarding winter tire use; consult your vehicle owner's manual and tire information placard for more information.

OTHER

- A. **Tires used in commercial service** except BRIDGESTONE Duravis or FIRESTONE Transforce tires.
- B. **Tires purchased as used.**
- C. **Tires purchased and primarily used** outside the continental United States, Alaska, Hawaii, and/or the District of Columbia.
- D. **The cost** of applicable federal, state, and/or local taxes.
- E. **Failure to follow any** of the safety and maintenance recommendations or warnings contained in this manual or the accompanying *Tire Maintenance and Safety* manual available at www.bridgestonetire.com/customer-care/tire-warranties.

This limited warranty is in addition to and/or may be limited by any other applicable written warranty you may have received concerning special tires or situations. Note that additional exclusions, provisions and owner's obligations may be contained in other sections of this manual.

BRIDGESTONE LIMITED WARRANTY COVERAGE

BRIDGESTONE BRAND LIMITED WARRANTY

Platinum Pact Limited Warranty Applicable to Costco Wholesale and Costco.com

The Platinum Pact Limited Warranty Applicable to Costco Warehouse and Costco.com covers all eligible BRIDGESTONE brand passenger and light truck tires—except winter, and “temporary use” spare tires. A covered tire will be replaced with an equivalent new BRIDGESTONE or FIRESTONE brand tire at BATO's discretion, for a prorated amount, if the tire becomes unusable for any reason within the manufacturer's control within 5 years from the date of purchase (proof of purchase required) or 6 years from the date of manufacture (without proof of purchase). The Platinum Pact Limited Warranty Applicable to Costco Wholesale and Costco.com is subject to the following conditions:

- Coverage extends up to (a) 5 years from the date of purchase—proof of purchase date required or (b) 6 years from the date of tire manufacture without proof of purchase date. During this period, the tire will be replaced but there will be a prorated charge. To determine the replacement price, the percent worn, based on used tread wear, is multiplied by the net-discounted price paid by the Costco Wholesale member for the original tire(s) being replaced. The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply.

- **Rapid tread wear or wear-out** See the Limited Mileage Warranty section of this manual.
- **The tire must not be worn to 2/32 inch (1.6 mm)** or less remaining original tread depth (i.e. worn down to the top of the built-in indicators in the tread grooves).
- **Exclusions apply**—as identified in the section “What This Limited Warranty Does Not Cover.”
- Note that an equivalent tire brand from a different manufacturer may be substituted at your request. BATO will not offer any warranty on replacement tires other than Bridgestone or Firestone brands.

Winter and “Temporary Use” Spare Tires

An eligible BRIDGESTONE brand winter or “temporary use” spare tire will be replaced with an equivalent new BRIDGESTONE or FIRESTONE brand tire at BATO’s discretion for a prorated purchase price if the tire becomes unusable for any reason within the manufacturer’s control under the following conditions:

- **Coverage** extends up to 5 years from the date of purchase—proof of purchase date required. Without proof of purchase date, then 6 years from the date of tire manufacture. During this period, the tire will be replaced for a prorated amount. To determine the replacement price, the percent worn, based on used tread wear, is multiplied by the net-discounted price paid by the Costco Wholesale member for the original tire(s) being replaced. The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply.
- **Rapid tread wear or wear-out.** Winter and “temporary use” spare tires have no Limited Mileage Warranty.
- **The tire must not be worn to 2/32 inch (1.6 mm)** or less remaining original tread depth (i.e. worn down to the top of the built-in indicators in the tread grooves).
- **Exclusions apply**—as identified in the section “What This Limited Warranty Does Not Cover.”
- Note that an equivalent tire brand from a different manufacturer may be substituted at your request. BATO will not offer any warranty on replacement tires other than BRIDGESTONE or FIRESTONE brands.

90 Day Buy & Try Guarantee

Most Bridgestone brand passenger and light truck tires, sold in sets of 4 or more tires through a DEALER, are covered by the 90 Day Buy & Try Guarantee. The following tire lines are **NOT** eligible for the 90 Day Buy & Try Guarantee:

- Run-Flat Technology Tires (RFT) including Self-Supporting Tires (SST) and Extended Mobility Tires (EMT). Note that the DriveGuard, DriveGuard Plus, Potenza RE960AS RFT and Turanza EL400 RFT patterns **ARE** covered by the 90 Day Buy & Try Guarantee.

- Potenza RE-11, Potenza RE-11A, Potenza RE-11R, Potenza RE71R, Potenza RE-71RS, Potenza Race
- Pursuit tires
- Tires installed as original equipment tires on new vehicles
- Winter tires or “temporary use” spare tires
- Tires in commercial truck tire sizes (17.5-inch, 19.5-inch, 22.5-inch, or 24.5-inch rim diameter)
- Tires in flotation tire sizes

If a retail customer is not completely satisfied with their eligible BRIDGESTONE brand tires, the tires can be returned to the location where they were originally purchased within 90 days of purchase to exchange for a credit towards a new set of tires. Original proof of purchase is required. If the exchange for the new set of tires is a higher cost, you must pay the difference from original purchase price. If the exchange for the new set of tires is at a lower cost, you will receive a refund of the difference in cost.

The 90 Day Buy & Try Guarantee applies only to full sets of tires (4 or more tires purchased together); return of less than a full set of tires will not be accepted.

BATO will not offer any warranty on replacement tires other than BRIDGESTONE or FIRESTONE brands.

Additional exclusions apply, as identified in the section “What This Limited Warranty Does Not Cover”: including, but not limited to, tires worn beyond 2/32 of tread wear use, or tires damaged due to road hazards, misapplication or abuse. The 90 Day Buy & Try is limited to one set of tires per vehicle within any 15-month period.

FIRESTONE BRAND LIMITED WARRANTY

Gold Pledge Limited Warranty Applicable to Costco Wholesale and Costco.com

The Gold Pledge Limited Warranty Applicable to Costco Wholesale and Costco.com covers all eligible FIRESTONE brand passenger and light truck tires—except winter, and “temporary use” spare tires. A tire covered by the Gold Pledge Limited Warranty Exclusively for Costco Wholesale and Costco.com will be replaced with an equivalent new BRIDGESTONE or FIRESTONE brand tire at BATO’s discretion, for a prorated amount, if the tire becomes unusable for any reason within the manufacturer’s control within 5 years from the date of purchase (proof of purchase required) or 6 years from the date of manufacture (without proof of purchase). The Gold Pledge Limited Warranty Applicable to Costco Wholesale and Costco.com is subject to the following conditions:

- Coverage extends up to (a) 5 years from the date of purchase—proof of purchase date required or (b) 6 years from the date of tire manufacture without proof of

purchase date. During this period, the tire will be replaced but there will be a prorated charge. To determine the replacement price, the percent worn, based on used tread wear, is multiplied by the net-discounted price paid by the Costco Wholesale member for the original tire(s) being replaced. The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply.

- **Rapid tread wear or wear-out** See the Limited Mileage Warranty section of this manual.
- Note that an equivalent tire brand from a different manufacturer may be substituted at your request. BATO will not offer any warranty on replacement tires other than BRIDGESTONE or FIRESTONE brands.

Winter and "Temporary Use" Spare Tires

An eligible Firestone brand winter or "temporary use" spare tire will be replaced with an equivalent new BRIDGESTONE or FIRESTONE brand tire at BATO's discretion for a prorated purchase price if the tire becomes unusable for any reason within the manufacturer's control under the following conditions:

- **Coverage** extends up to 5 years from the date of purchase—proof of purchase date required. Without proof of purchase date, then 6 years from the date of tire manufacture. During this period, the tire will be replaced for a prorated amount. To determine the replacement price, the percent worn, based on used tread wear, is multiplied by the net-discounted price paid by the Costco Wholesale member for the original tire(s) being replaced. The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply.
- **Rapid tread wear or wear-out.** Winter and "temporary use" spare tires have no mileage warranty.
- **The tire must not be worn to 2/32 inch (1.6 mm)** or less remaining original tread depth (i.e. worn down to the top of the built-in indicators in the tread grooves).
- **Exclusions apply**—as identified in the section "What This Limited Warranty Does Not Cover."
- Note that an equivalent tire brand from a different manufacturer may be substituted at your request. BATO will not offer any warranty on replacement tires other than BRIDGESTONE or FIRESTONE brands.

90 Day Buy & Try Guarantee

Most Firestone brand passenger and light truck tires, sold in sets of 4 or more tires through a DEALER, are covered by the 90 Day Buy & Try Guarantee. The following tire lines are **NOT** eligible for the 90 Day Buy & Try Guarantee:

- Run-Flat Technology Tires (RFT) including Self-Supporting Tires (SST) and Extended Mobility Tires (EMT).

- Pursuit tires
- Tires installed as original equipment tires on new vehicles
- Winter tires or "temporary use" spare tires
- Tires in commercial truck tire sizes (17.5-inch, 19.5-inch, 22.5-inch, or 24.5-inch rim diameter)
- Tires in flotation tire sizes

If a retail customer is not completely satisfied with their eligible FIRESTONE brand tires, the tires can be returned to the location where they were originally purchased within 90 days of purchase to exchange for a credit towards a new set of tires. Original proof of purchase is required. If the exchange for the new set of tires is a higher cost, you must pay the difference from original purchase price. If the exchange for the new set of tires is at a lower cost, you will receive a refund of the difference in cost.

The 90 Day Buy & Try Guarantee applies only to full sets of tires (4 or more tires purchased together); return of less than a full set of tires will not be accepted.

BATO will not offer any warranty on replacement tires other than BRIDGESTONE or FIRESTONE brands.

Additional exclusions apply, as identified in the section "What This Limited Warranty Does Not Cover": including, but not limited to, tires worn beyond 2/32 of tread wear use, or tires damaged due to road hazards, misapplication or abuse. The 90 Day Buy & Try is limited to one set of tires per vehicle within any 15-month period.

LIMITED MILEAGE WARRANTY (BRIDGESTONE / FIRESTONE Brand)

If an eligible tire covered by the Limited Mileage Warranty wears evenly across the tread down to the tread wear indicators—2/32 inch (1.6 mm)—during its stated warranted mileage (as evidenced by the vehicle's odometer) and within the applicable coverage period, the tire will be replaced with an equivalent new BRIDGESTONE or FIRESTONE brand tire at BATO's discretion for a prorated purchase price under the following conditions:

- Only the passenger and light truck tires listed in this section are covered by the Limited Mileage Warranty for the mileage shown.
- The tire was used and maintained in accordance with all the terms contained within this manual and/or the accompanying *Tire Maintenance and Safety* manual available at www.bridgestone.com/customer-care/tire-warranties.
- In addition to the requirements of this section, the eligibility requirements in the section "What is an Eligible Tire" must be met for the tire to be eligible under the Limited Mileage Warranty.

- Coverage applies only to the original purchaser, and only as long as the tires remain mounted on the vehicle described in the Customer, Vehicle, and Tire Identification Section of this manual.
- Coverage extends up to 5 years from the date of purchase—proof of purchase date required. During this period, the tire will be replaced for a prorated amount. Without proof of purchase date, then 6 years from the date of tire manufacture.
- To determine the replacement price, the percent of warranted mileage, based on used tread wear, is multiplied by the net-discounted price paid by the Costco Wholesale member for the original tire(s) being replaced. The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply.
- Tires used in commercial service have no Limited Mileage Warranty.
- **Original equipment tires on new vehicles have no mileage warranty. (See separate warranty, if applicable, in your vehicle's glove box.) Tires sold as exact original equipment replacements may have a mileage warranty as discussed later in this section.**
- Exclusions apply—as identified in the section “What This Limited Warranty Does Not Cover.”
- Even tread wear is defined as having no more than 2/32-inch (1.6 mm) difference in remaining tread depth between any two major tread grooves across the tire.
- For tires used on staggered fitments, which are vehicles with different size tires between the front and rear axles, the non-drive tires (typically the front tires) will have the full Limited Mileage Warranty (if available) and the drive tires (typically the rear tires) will have one-half of the stated full Limited Mileage Warranty (if available).
- Tires with more than 4/32 inch (3.2 mm) remaining tread depth in any major tread groove will not be accepted for Limited Mileage Warranty.
- Note that an equivalent tire brand from a different manufacturer may be substituted at your request. BATO will not offer any warranty on replacement tires other than BRIDGESTONE or FIRESTONE brands.

CALCULATING THE PERCENT OF WARRANTED MILEAGE

Tires with 2/32 inch (1.6 mm) remaining tread depth:

A tire worn to 2/32 inch (1.6 mm) will use the following procedure to calculate the percent of warranted mileage:

1. **Calculate Total Miles.** Total Miles = Odometer indicated mileage at time of removal – Odometer indicated Mileage when tires installed.

2. **Calculate Percentage Warranted Miles.** Percentage Warranted Miles = Total Miles/Warranted Miles (from tables in this manual).
3. **Calculate Replacement Price.** Replacement Price = Percentage Warranted Miles x the net-discounted price paid by the COSTCO member for the original tire(s) being replaced. NOTE: This represents the price the DEALER will charge to replace the tire (The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply).

Example: Odometer indicated mileage at time of removal = 130,000 miles. Odometer indicated mileage when tires installed = 85,000 miles. COSTCO Member originally paid \$100 for the tire. Tires installed are Bridgestone Ecopia 422.

1. Total Miles = 130,000 Miles – 85,000 Miles = 45,000 Miles
2. Percentage Warranted Miles = 45,000 Miles / 65,000 Miles = 0.69 or 69%.
3. Replacement Price = \$100 x 0.69 = \$69.

Tires with 3/32 inch (2.4 mm) remaining tread depth:

A tire worn to 3/32 inch (2.4 mm) will use the following procedure to calculate the percent of warranted mileage:

1. **Calculate Total Miles.** Total Miles = Odometer indicated mileage at time of removal – Odometer indicated mileage when tires installed.
2. **Calculate Miles per 32nd.** Miles per 32nd = Total Miles / (Original Tread Depth – Remaining Tread Depth).
3. **Calculate Projected Mileage.** Projected Mileage = Total Miles + Miles per 32nd.
4. **Calculate Percentage Warranted Miles.** Percentage Warranted Miles = Projected Miles / Warranted Miles (from tables in this manual).
5. **Calculate Replacement Price.** Replacement Price = Percentage Warranted Miles x the net-discounted price paid by the COSTCO member for the original tire(s) being replaced. NOTE: This represents the price the DEALER will charge to replace the tire (The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply).

Example: Odometer indicated mileage at time of removal = 130,000 miles. Odometer indicated mileage when tires installed = 85,000 miles. COSTCO Member originally paid \$100 for the tire. Tires installed are Bridgestone Ecopia 422.

1. Total Miles = 130,000 miles – 85,000 miles = 45,000 miles
2. Miles per 32nd = 45,000 Miles / (10/32-3/32) = 6,429 Miles.
3. Projected Miles = 45,000 Miles + 6,429 Miles = 51,429 Miles.
4. Percentage Warranted Miles = 51,429 Miles / 65,000 Miles = 0.79 or 79%.

5. Replacement Price = \$100 x 0.79 = \$79.

Tires with 4/32 inch (3.2 mm) remaining tread depth:

A tire worn to 4/32 inch (3.2 mm) will use the following procedure to calculate the percent of warranted mileage:

- 1. **Calculate Total Miles.** Total Miles = Odometer indicated mileage at time of removal – Odometer indicated mileage when tires installed.
- 2. **Calculate Miles per 32nd.** Miles per 32nd = Total Miles / (Original Tread Depth – Remaining Tread Depth).
- 3. **Calculate Projected Mileage.** Projected Mileage = Total Miles + (2 x Miles per 32nd).
- 4. **Calculate Percentage Warranted Miles.** Percentage Warranted Miles = Projected Miles /Warranted Miles (from tables in this manual).
- 5. **Calculate Replacement Price.** Replacement Price = Percentage Warranted Miles x the net-discounted price paid by the COSTCO member for the original tire(s) being replaced. NOTE: This represents the price the DEALER will charge to replace the tire (The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply).

Example: Odometer indicated mileage at time of removal = 130,000 miles. Odometer indicated mileage when tires installed = 85,000 miles. COSTCO Member originally paid \$100 for the tire. Tires installed are Bridgestone Ecopia 422.

- 1. Total Miles = 130,000 miles – 85,000 miles = 45,000 miles
- 2. Miles per 32nd = 45,000 Miles / (10/32-4/32) = 7,500 Miles.
- 3. Projected Miles = 45,000 Miles + (2 x 7,500 Miles) = 60,000 Miles.
- 4. Percentage Warranted Miles = 60,000 Miles / 65,000 Miles = 0.92 or 92%.
- 5. Replacement Price = \$100 x 0.92 = \$92.

COVERED TIRES AND WARRANTED MILEAGE FOR LIMITED MILEAGE WARRANTY:

BRIDGESTONE BRAND

The following tables contain the warranted mileage, if any, for Bridgestone band tires sold as replacement tires. Tires sold as original equipment on new vehicles or their exact original equipment replacements do not have any warranted mileage unless explicitly shown in the flowing tables.

Alenza A/S 02

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Alenza A/S 02	9160	225/65R17	H	65,000
Alenza A/S 02	9159	255/65R18	T	65,000
Alenza A/S 02	8922	275/50R22	H	65,000
Alenza A/S 02	7157	275/50R22	T	65,000
Alenza A/S 02	5510	275/60R20	S	65,000
Alenza A/S 02	12268	275/60R20	S	55,000
Alenza A/S 02	12607	255/60R19	H	40,000
Alenza A/S 02	12608	275/45R21	H	40,000
Alenza A/S 02	13586	285/40R24	H	50,000

Alenza A/S 02 RFT

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Alenza A/S 02 RFT	12165	235/60R18	H	40,000
Alenza A/S 02 RFT	12166	235/50R20	V	40,000

Alenza A/S Ultra

80,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Alenza Prestige

70,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Alenza Sport A/S

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Alenza Sport A/S	8494	235/50R21	V	40,000
Alenza Sport A/S	14875	235/50R21	V	40,000
Alenza Sport A/S	9619	235/55R19	V	40,000
Alenza Sport A/S	12429	235/55R19	V	40,000
Alenza Sport A/S	3618	235/55R20	V	40,000
Alenza Sport A/S	12427	235/60R18	H	40,000
Alenza Sport A/S	14874	235/60R19	V	40,000
Alenza Sport A/S	9618	235/65R17	H	40,000
Alenza Sport A/S	3211	235/65R18	V	40,000

Alenza Sport A/S	15057	255/45R22	W	40,000
Alenza Sport A/S	4433	255/50R20	H	40,000
Alenza Sport A/S	9620	255/50R20	H	40,000
Alenza Sport A/S	15056	255/50R20	V	40,000
Alenza Sport A/S	9022	255/55R19	H	40,000
Alenza Sport A/S	12441	265/45R21	T	40,000
Alenza Sport A/S	4023	285/45R21	H	40,000

Alenza Sport A/S MOE

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Alenza Sport A/S MOE	8604	255/50R19	H	40,000
Alenza Sport A/S MOE	8605	275/55R19	H	40,000
Alenza Sport A/S MOE	8606	275/50R20	H	40,000

Alenza Sport A/S RFT

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Alenza Sport A/S RFT	4025	265/50R19	H	40,000
Alenza Sport A/S RFT	4027	275/45R20	H	40,000
Alenza Sport A/S RFT	4029	275/50R20	H	0 (Zero)
Alenza Sport A/S RFT	4031	285/45R21	H	40,000

Alenza Sport A/S SP

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Alenza Sport A/S SP	15424	255/45R20	V	40,000
Alenza Sport A/S SP	13860	235/55R19	V	40,000
Alenza Sport A/S SP	13861	255/45R20	V	50,000

DriveGuard (T, H, and V Speed Rating)

60,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

DriveGuard (W Speed Rating)

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

DriveGuard Plus

65,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Dueler A/T Ascent

60,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Dueler A/T Revo 2

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Dueler A/T Revo 2	Multiple	All LT and Flotation	Multiple	0 (Zero)
Dueler A/T Revo 2	81405	P245/75R16	T	50,000

Dueler A/T Revo 3

60,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Dueler A/T Revo 3	Multiple	All LT and Flotation	Multiple	50,000
Dueler A/T Revo 3	12259	P265/65R18	T	60,000
Dueler A/T Revo 3	50	P265/65R18	T	60,000

Dueler A/T RH-S

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Dueler A/T RH-S	3349	245/75R17	T	40,000
Dueler A/T RH-S	7159	255/65R17	T	40,000
Dueler A/T RH-S	865	255/70R18	T	40,000
Dueler A/T RH-S	9901	255/70R18	T	40,000
Dueler A/T RH-S	9899	255/75R17	T	40,000
Dueler A/T RH-S	5493	275/60R20	S	40,000
Dueler A/T RH-S	12449	LT275/70R18	R	40,000
Dueler A/T RH-S	12451	LT275/65R20	R	40,000
Dueler A/T RH-S	2993	P265/70R17	S	40,000
Dueler A/T RH-S	57945	P255/70R18	S	40,000

Dueler H/L 400

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Dueler H/L 400	9161	265/50R20	T	50,000
Dueler H/L 400	632	P225/55R18	H	40,000
Dueler H/L 400	118312	P265/45R21	V	40,000
Dueler H/L 400	13958	265/50R19	H	40,000
Dueler H/L 400	86131	P245/55R19	S	50,000
Dueler H/L 400	87372	P235/60R18	V	50,000
Dueler H/L 400	131300	255/55R17	V	40,000

Dueler H/L Alenza

65,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Dueler H/L Alenza	133986	275/55R20	H	65,000
Dueler H/L Alenza	98490	255/55R18	W	40,000
Dueler H/L Alenza	98745	275/40R20	W	40,000
Dueler H/L Alenza	12113	275/55R20	H	40,000
Dueler H/L Alenza	863	275/55R20	T	40,000
Dueler H/L Alenza	862	275/55R20	T	40,000
Dueler H/L Alenza	96212	305/40R22	W	40,000
Dueler H/L Alenza	7156	P255/55R20	H	65,000
Dueler H/L Alenza	127390	P255/55R20	H	65,000
Dueler H/L Alenza	238	P275/55R20	S	65,000
Dueler H/L Alenza	58574	P275/55R20	H	65,000
Dueler H/L Alenza	53967	P275/55R20	S	65,000
Dueler H/L Alenza	42798	P275/60R20	H	65,000
Dueler H/L Alenza	53984	P285/45R22	H	65,000
Dueler H/L Alenza	23716	P285/45R22	H	65,000
Dueler H/L Alenza	3491	255/65R18	T	0 (Zero)
Dueler H/L Alenza	3012	P275/60R20	H	0 (Zero)

Dueler H/L Alenza Plus

80,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Dueler H/L Alenza Plus	4083	P235/50R19	H	80,000
Dueler H/L Alenza Plus	438	P245/70R17	T	80,000
Dueler H/L Alenza Plus	459	255/50R19	W	55,000
Dueler H/L Alenza Plus	3859	255/55R18	W	55,000
Dueler H/L Alenza Plus	5402	275/45R21	W	55,000

Dueler H/L 422 Ecopia

65,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Dueler H/L 422 Ecopia	6509	245/55R19	T	70,000
Dueler H/L 422 Ecopia	23529	245/55R19	T	0 (Zero)
Dueler H/L 422 Ecopia	579	P245/60R18	T	0 (Zero)
Dueler H/L 422 Ecopia	6508	P245/60R18	T	50,000

Dueler H/P 92A

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Dueler H/P 92A	126812	P265/50R20	V	40,000
Dueler H/P 92A	127356	P265/60R18	V	40,000

Dueler H/P Sport AS

40,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Dueler H/P Sport AS	12421	225/60R18	H	40,000
Dueler H/P Sport AS	235	225/60R18	H	40,000
Dueler H/P Sport AS	234	225/65R17	H	40,000
Dueler H/P Sport AS	142367	225/65R17	T	40,000
Dueler H/P Sport AS	4440	235/55R20	H	40,000
Dueler H/P Sport AS	749	235/55R20	H	40,000
Dueler H/P Sport AS	13456	235/60R18	W	0 (Zero)
Dueler H/P Sport AS	4747	245/50R19	H	40,000
Dueler H/P Sport AS	200	245/60R18	H	40,000
Dueler H/P Sport AS	3500	245/60R18	H	0 (Zero)
Dueler H/P Sport AS	1461	245/60R18	V	40,000

Dueler H/P Sport AS RFT

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Dueler H/P Sport AS RFT	4743	225/60R18	H	40,000
Dueler H/P Sport AS RFT	4748	245/50R19	H	40,000

Dueler H/T (D684II)

60,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Dueler H/T (D684II)	106216	P215/70R16	S	60,000
Dueler H/T (D684II)	58438	P235/60R18	H	60,000
Dueler H/T (D684II)	106267	P235/65R16	S	60,000
Dueler H/T (D684II)	60954	P235/65R16	S	60,000

Dueler H/T (D684II)	2959	P255/70R17	S	50,000
Dueler H/T (D684II)	4639	P255/70R17	S	0 (Zero)
Dueler H/T (D684II)	55106	P255/70R18	T	60,000
Dueler H/T (D684II)	4945	P255/70R18	T	50,000
Dueler H/T (D684II)	30456	P265/65R17	S	60,000
Dueler H/T (D684II)	149779	P275/60R20	H	60,000
Dueler H/T (D684II)	43614	P265/65R18	S	60,000
Dueler H/T (D684II)	126591	P275/65R18	T	60,000
Dueler H/T (D684II)	55089	P275/65R18	T	60,000

Dueler H/T 685

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Dueler H/T 685	3348	245/75R17	T	50,000
Dueler H/T 685	7160	255/65R17	T	50,000
Dueler H/T 685	11786	255/70R16	T	50,000
Dueler H/T 685	3492	255/70R18	T	50,000
Dueler H/T 685	3217	265/50R22	H	50,000
Dueler H/T 685	7167	265/60R18	T	50,000
Dueler H/T 685	7168	255/70R16	T	0 (Zero)
Dueler H/T 685	3216	265/60R20	H	50,000
Dueler H/T 685	3215	265/70R18	T	50,000
Dueler H/T 685	3794	275/65R18	T	50,000
Dueler H/T 685	12701	275/65R18	T	50,000
Dueler H/T 685	3485	P255/70R17	S	0 (Zero)

Dueler H/T 689

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Dueler H/T 689	32020	265/70R16	S	60,000
Dueler H/T 689	57826	P215/65R16	H	60,000
Dueler H/T 689	92827	P245/65R17	S	60,000
Dueler H/T 689	621	P245/70R16	S	60,000
Dueler H/T 689	76546	P245/70R16	S	60,000
Dueler H/T 689	76554	P255/65R16	S	60,000
Dueler H/T 689	77690	P255/70R16	S	60,000
Dueler H/T 689	92061	P265/70R16	S	60,000

Dueler H/T 840

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Dueler H/T 840	72599	P265/60R18	H	50,000

Ecopia EP422

65,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Ecopia EP422	24957	P185/65R15	H	50,000
Ecopia EP422	3346	215/55R17	H	0 (Zero)
Ecopia EP422	214	215/55R17	H	0 (Zero)
Ecopia EP422	215	235/45R18	V	0 (Zero)
Ecopia EP422	3347	235/45R18	V	0 (Zero)
Ecopia EP422	24583	P185/60R15	T	0 (Zero)
Ecopia EP422	24974	P195/55R16	V	0 (Zero)
Ecopia EP422	4285	P205/55R16	H	40,000
Ecopia EP422	8678	P205/55R16	H	40,000
Ecopia EP422	21625	P205/55R16	H	0 (Zero)
Ecopia EP422	1490	P225/65R17	T	0 (Zero)

Ecopia EP422 Plus

70,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Ecopia EP422 Plus	1667	195/65R15	H	50,000
Ecopia EP422 Plus	3193	205/55R16	H	50,000
Ecopia EP422 Plus	7237	205/55R17	H	70,000
Ecopia EP422 Plus	7223	205/60R16	H	70,000
Ecopia EP422 Plus	219	215/55R17	V	70,000
Ecopia EP422 Plus	9110	215/55R17	V	70,000
Ecopia EP422 Plus	1863	P205/60R16	H	70,000
Ecopia EP422 Plus	7224	225/45R18	H	0 (Zero)
Ecopia EP422 Plus	5333	P215/45R17	V	50,000
Ecopia EP422 Plus	8834	205/60R16	H	40,000
Ecopia EP422 Plus	8835	205/50R17	H	40,000
Ecopia EP422 Plus	11603	195/65R15	S	50,000
Ecopia EP422 Plus	14951	195/60R17	H	50,000

Ecopia H/L 422 Plus

70,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Ecopia H/L 422 Plus	11878	215/65R17	H	40,000
Ecopia H/L 422 Plus	7236	215/65R17	H	70,000
Ecopia H/L 422 Plus	4492	225/55R19	H	50,000
Ecopia H/L 422 Plus	7151	225/55R19	H	50,000
Ecopia H/L 422 Plus	12482	225/55R19	V	70,000
Ecopia H/L 422 Plus	9534	225/60R17	H	0 (Zero)
Ecopia H/L 422 Plus	3259	225/65R17	H	0 (Zero)

Ecopia H/L 422 Plus	985	225/65R17	H	50,000
Ecopia H/L 422 Plus	1208	235/55R18	H	70,000
Ecopia H/L 422 Plus	7235	235/55R18	H	70,000
Ecopia H/L 422 Plus	11879	235/55R18	H	70,000
Ecopia H/L 422 Plus	227	235/55R20	V	70,000
Ecopia H/L 422 Plus	888	235/65R17	H	70,000
Ecopia H/L 422 Plus	889	235/60R18	H	50,000
Ecopia H/L 422 Plus	4620	235/65R18	V	70,000
Ecopia H/L 422 Plus	13621	255/45R20	W	50,000
Ecopia H/L 422 Plus	864	265/50R20	T	70,000
Ecopia H/L 422 Plus	9139	P225/55R18	H	50,000
Ecopia H/L 422 Plus	13620	P255/45R20	W	50,000
Ecopia H/L 422 Plus	8789	P255/50R20	V	40,000
Ecopia H/L 422 Plus	5591	235/55R18	H	50,000
Ecopia H/L 422 Plus	11883	215/60R17	H	50,000
Ecopia H/L 422 Plus	12199	175/55R15	V	0 (Zero)

Ecopia H/L 422 Plus SP

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Ecopia H/L 422 Plus SP	11819	225/45R19	W	50,000

Ecopia H/L 422 Plus RFT

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Ecopia H/L 422 Plus RFT	8814	P235/55RF19	V	50,000
Ecopia H/L 422 Plus RFT	7216	P235/55RF19	V	50,000
Ecopia H/L 422 Plus SP RFT	7219	P255/45RF20	V	50,000
Ecopia H/L 422 Plus RFT	8815	P255/45RF20	V	50,000

Potenza RE92

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Potenza RE92	119474	P165/65R13	S	40,000
Potenza RE92	87939	P165/65R14	S	40,000
Potenza RE92	77257	P175/65R14	S	40,000
Potenza RE92	85022	P175/65R14	S	40,000
Potenza RE92	119261	P185/60R14	H	40,000
Potenza RE92	77274	P185/60R15	T	40,000
Potenza RE92	119318	P185/65R14	S	40,000
Potenza RE92	17706	P195/60R15	H	40,000
Potenza RE92	72419	P195/60R15	H	40,000

Potenza RE92	74764	P205/60R15	H	40,000
Potenza RE92	57010	P205/60R15	H	40,000
Potenza RE92	96849	P205/65R15	T	40,000
Potenza RE92	108278	P225/60R16	H	40,000
Potenza RE92	100595	P225/60R16	H	40,000

Potenza RE97AS (V and H Speed Rated)

55,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Potenza RE97AS	3195	225/40R18	H	55,000
Potenza RE97AS	13856	225/50R18	H	55,000
Potenza RE97AS	24889	235/45R18	H	40,000
Potenza RE97AS	894	235/45R18	V	55,000
Potenza RE97AS	168	245/40R20	H	0 (Zero)
Potenza RE97AS	3829	P245/40R20	V	0 (Zero)
Potenza RE97AS	143608	P245/40R20	V	0 (Zero)
Potenza RE97AS	4640	P245/40R20	V	55,000
Potenza RE97AS	5839	P245/40R20	V	40,000
Potenza RE97AS	8999	P255/35R20	V	0 (Zero)
Potenza RE97AS	425	245/40R20	V	40,000

Potenza RE97AS (W Speed Rated)

45,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Potenza RE97AS	11323	225/45R18	W	45,000
Potenza RE97AS	3995	235/50R18	W	0 (Zero)

Potenza RE97AS SP

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Potenza RE97AS SP	9990	P255/35R20	V	40,000

Potenza RE97AS RFT

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Potenza RE97AS RFT	8833	P225/50RF18	V	40,000

Potenza RE97AS RFT SP

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Potenza RE97AS RFT SP	11882	P225/50RF18	V	40,000

Potenza RE97AS - 02

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Potenza RE97AS – 02	8863	225/45R18	V	40,000

Potenza RE970AS Pole Position

40,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Potenza RE970AS Pole Position	105001	225/40R18	W	40,000
Potenza RE970AS Pole Position	123463	225/40R19	W	40,000
Potenza RE970AS Pole Position	105086	235/45R17	W	40,000
Potenza RE970AS Pole Position	105069	245/45R17	W	40,000
Potenza RE970AS Pole Position	123701	255/35R18	W	40,000
Potenza RE970AS Pole Position	123718	255/35R19	W	40,000
Potenza RE970AS Pole Position	123429	255/40R19	W	40,000
Potenza RE970AS Pole Position	123599	275/35R20	W	40,000
Potenza RE970AS Pole Position	104508	295/30R19	W	40,000

Potenza RE980AS

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Potenza RE980AS+

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Potenza Sport AS

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Turanza EL400

80,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
TURANZA EL400	43291	195/65R15	H	50,000
TURANZA EL400	43342	215/55R16	H	50,000
TURANZA EL400	43240	P195/60R15	H	50,000
TURANZA EL400	43359	P205/60R16	H	50,000
TURANZA EL400	43223	P205/65R15	H	50,000
TURANZA EL400	124347	P225/55R18	H	50,000
TURANZA EL400	68434	P225/60R18	H	50,000
TURANZA EL400	42832	175/70R13	T	0 (Zero)
TURANZA EL400	42849	185/70R14	T	0 (Zero)
TURANZA EL400	43376	205/55R16	H	0 (Zero)
TURANZA EL400	42917	P175/65R14	T	0 (Zero)
TURANZA EL400	42934	P185/65R14	T	0 (Zero)

Turanza EL400 RFT

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
TURANZA EL400 RFT	125231	P225/60RF17	T	40,000

Turanza EL400 - 02

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
TURANZA EL400-02	132677	225/40R18	W	40,000
TURANZA EL400-02	24804	235/40R19	V	40,000
TURANZA EL400-02	1453	255/35R18	W	40,000
TURANZA EL400-02	90160	P245/50R17	V	40,000
TURANZA EL400-02	131674	P215/55R17	V	40,000
TURANZA EL400-02	132694	255/40R18	W	40,000

Turanza EL400 – 02 RFT

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
TURANZA EL400-02 RFT	4434	235/55RF18	T	40,000

Turanza EL42

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
TURANZA EL42	7906	P245/45R19	V	40,000

Turanza EL440

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
TURANZA EL440	11423	215/45R18	V	50,000
TURANZA EL440	11757	215/55R18	H	50,000
TURANZA EL440	13815	215/55R18	H	50,000
TURANZA EL440	11756	215/65R16	H	50,000
TURANZA EL440	221	235/40R19	V	50,000
TURANZA EL440	220	235/45R18	V	50,000
TURANZA EL440	4590	235/50R18	V	50,000
TURANZA EL440	2359	235/55R19	H	50,000
TURANZA EL440	216	235/60R18	H	50,000
TURANZA EL440	2358	235/60R18	H	50,000
TURANZA EL440	4244	255/40R19	W	50,000

Turanza EL450

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
TURANZA EL450	12817	235/40R19	V	50,000
TURANZA EL450	13277	235/55R19	V	50,000
TURANZA EL450	12818	265/35R19	V	50,000
TURANZA EL450	14804	235/60R18	V	50,000
TURANZA EL450	14805	235/50R20	V	50,000
TURANZA EL450	14936	225/45R21	W	50,000
TURANZA EL450	14952	255/55R18	V	50,000

Turanza EL450 RFT

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
TURANZA EL450 RFT	11372	225/50R18	V	50,000
TURANZA EL450 RFT	4699	245/45R19	V	50,000
TURANZA EL450 RFT	6375	225/50R17	V	0 (Zero)
TURANZA EL450 RFT	6373	225/50R18	V	0 (Zero)

Turanza EV

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Turanza Everdrive

80,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Turanza LS100

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
TURANZA LS100	11881	205/55R17	H	50,000
TURANZA LS100	11873	215/50R18	H	50,000
TURANZA LS100	11875	215/55R17	H	50,000
TURANZA LS100	11874	225/50R18	H	50,000
TURANZA LS100	11876	225/55R17	H	50,000
TURANZA LS100	4437	235/40R19	V	50,000
TURANZA LS100	3214	P235/60R18	V	50,000
TURANZA LS100	11880	205/60R16	H	50,000

Turanza LS100 A

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
TURANZA LS100 A	12267	225/45R18	H	50,000
TURANZA LS100 A	7227	225/45R18	H	50,000

Turanza LS100 MO

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
TURANZA LS100 MO	13349	225/45R18	H	50,000

Turanza LS100 ARF

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
TURANZA LS100 ARF	7228	225/45R18	H	50,000

Turanza Prestige

70,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Turanza QuietTrack

80,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Turanza Serenity Plus (H Speed Rated)

80,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Turanza Serenity Plus (V Speed Rated)

75,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Turanza Serenity Plus (W Speed Rated)

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

WeatherPeak

70,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

FIRESTONE BRAND

The following tables contain the warranted mileage, if any, for Firestone band tires sold as replacement tires. Tires sold as original equipment on new vehicles or their exact original equipment replacements do not have any warranted mileage unless explicitly shown in the flowing tables.

Affinity AS (H/V Speed Rated)

65,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Affinity AS (W Speed Rated)

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Affinity Touring S4

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Affinity Touring S4	43580	P215/55R16	S	50,000
Affinity Touring S4	61923	P195/65R15	S	50,000

Affinity Touring S4 FF

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Affinity Touring S4 FF	125197	P195/65R15	H	50,000
Affinity Touring S4 FF	13873	205/65R16	H	50,000
Affinity Touring S4 FF	240	P195/65R15	H	50,000
Affinity Touring S4 FF	131657	P205/65R16	S	50,000

Affinity Touring T4

0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Affinity Touring T4	43716	P215/60R17	T	50,000

All Season

65,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
All Season	3036	215/70R16	S	55,000
All Season	3042	225/70R16	T	55,000
All Season	3024	P235/70R16	T	55,000
All Season	13343	225/65R17	H	55,000
All Season	3019	225/65R17	T	55,000
All Season	3034	235/65R17	T	55,000
All Season	13751	235/65R18	H	55,000
All Season	3068	235/65R18	T	55,000
All Season	3072	P255/65R18	S	55,000
All Season	3040	235/60R18	H	55,000
All Season	13342	245/60R18	H	55,000
All Season	3066	245/60R18	T	55,000
All Season	3058	265/60R18	T	55,000
All Season	3076	225/55R18	H	55,000
All Season	3030	235/55R18	H	55,000
All Season	3084	P255/60R19	S	55,000
All Season	3050	235/55R19	H	55,000
All Season	3080	245/55R19	S	55,000
All Season	3092	P255/55R20	H	55,000
All Season	3082	P245/50R20	H	55,000

Champion Fuel Fighter

70,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Destination A/T

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Destination A/T	Multiple	All LT and Flotation	Multiple	0 (Zero)
Destination A/T	112192	P235/75R16	S	50,000
Destination A/T	17885	P245/65R17	T	50,000
Destination A/T	13983	P245/65R17	T	0 (Zero)
Destination A/T	3345	P245/65R17	T	50,000

Destination A/T2

55,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Destination A/T2	12112	275/65R18	T	0 (Zero)

Destination LE

60,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Destination LE	Multiple	All LT and Flotation	Multiple	0 (Zero)
Destination LE	112379	P235/60R17	H	60,000
Destination LE	65068	P235/65R16	S	60,000
Destination LE	108248	P245/60R18	S	60,000
Destination LE	90177	P265/65R18	S	60,000
Destination LE	90279	P265/65R18	S	60,000

Destination LE2

60,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Destination LE2	3351	225/60R17	T	60,000
Destination LE2	24991	225/60R17	T	0 (Zero)
Destination LE2	6578	225/65R17	H	60,000
Destination LE2	3352	225/65R17	T	60,000
Destination LE2	25008	225/65R17	T	60,000
Destination LE2	97759	P235/70R16	T	60,000
Destination LE2	11785	245/60R18	H	60,000
Destination LE2	2360	245/60R18	H	60,000
Destination LE2	6511	P245/75R16	S	0 (Zero)
Destination LE2	97725	P215/70R16	H	60,000
Destination LE2	223	P245/75R16	S	50,000
Destination LE2	6513	P265/65R17	S	60,000
Destination LE2	224	P265/65R17	S	0 (Zero)

Destination LE2	98133	P275/60R17	T	60,000
Destination LE2	6777	225/60R17	T	40,000

Destination LE3

70,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Destination X/T

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Firehawk A/S

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Firehawk A/S V2

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Firehawk GT H

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Firehawk GT H	1548	185/55R15	H	50,000
Firehawk GT H	986	225/45R17	H	0 (Zero)
Firehawk GT H	4651	P235/50R18	H	0 (Zero)
Firehawk GT H	149932	P235/50R18	H	0 (Zero)
Firehawk GT H PRST	149524	P265/60R17	H	0 (Zero)

Firehawk GT V

50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Firehawk GT V	134054	245/45R20	V	50,000
Firehawk GT V PRST	77342	P225/60R18	V	0 (Zero)
Firehawk GT V PRST	23189	P265/60R17	V	0 (Zero)

Firehawk Wide Oval AS (Speed Rating H/V)
50,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

Firehawk Wide Oval AS (Speed Rating W)
40,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

FR710
65,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
FR710	1278	P185/60R15	H	40,000
FR710	3192	P185/65R15	H	40,000
FR710	66105	P215/55R17	S	65,000
FR710	112345	P215/60R16	S	65,000
FR710	84856	P225/60R17	H	65,000
FR710	134037	P225/60R18	T	65,000
FR710	79042	P235/60R17	T	65,000
FR710	6505	P235/60R17	T	65,000

FR740
0 miles (Zero) - Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
FR740	593	P215/45R17	W	40,000
FR740	1511	185/55R16	H	0 (Zero)

FT140
0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
FT140	6515	195/65R15	S	50,000
FT140	6518	205/55R16	H	50,000
FT140	7221	205/60R16	H	40,000
FT140	9622	205/60R16	H	40,000
FT140	7222	205/55R17	V	40,000
FT140	265	215/50R17	H	50,000
FT140	21285	215/55R16	H	50,000
FT140	7148	P205/55R16	H	50,000
FT140	3196	P205/65R16	H	50,000
FT140	980	205/50R17	V	50,000

FT140	15150	205/50R17	V	40,000
FT140	15149	205/55R16	V	40,000
FT140	3208	205/65R16	H	40,000
FT140	3213	P235/65R17	T	50,000

Transform HT
0 miles (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
Transform HT	250109	LT275/70R18	S	40,000

WeatherGrip
65,000 miles – Exceptions and Exact OE Equipment
Replacements are noted below:

Description	Article No	Size	Speed	Miles
None				

REPLACEMENT WARRANTY FOR ALL BRANDS

If you receive a BRIDGESTONE or FIRESTONE brand replacement tire under this limited warranty, it will be covered by the manufacturer's warranty or warranties, if any, given on that tire at that time. BATO will not offer any warranty on replacement tires other than Bridgestone or Firestone brands.

WHERE TO GO

Tire adjustments under this limited warranty for tires purchased at a Costco Warehouse or Costco.com will ONLY be made at a Costco Warehouse location. Consult a phone directory or the internet at Costco.com for the location nearest you.

CONSUMER RIGHTS

This limited warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

TIRE REGISTRATION

BATO encourages you to ensure your tires are registered to receive direct notification in the event of a safety related recall. If you have received a tire registration postcard with your tire purchase, please send in the completed postcard or visit www.bridgestonetire.com to register your tires.

CONDITIONS and EXCLUSIONS

TO THE EXTENT PERMITTED BY LAW, BATO DISCLAIMS ALL OTHER WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND ANY LIABILITY FOR INDIRECT, GENERAL, SPECIAL, INCIDENTAL

AND/OR CONSEQUENTIAL, AND/OR PUNITIVE DAMAGES, LOSS OF TIME, OR PROFITS, LOSS OF VEHICLE USE, OR INCONVENIENCE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This limited warranty applies only to consumers who purchase tires from Costco Wholesale or Costco.com and primarily use the tire in the continental United States, Alaska and/or Hawaii.

Obligations under this policy may not be enlarged or altered by anyone.

In accordance with Federal Law, this Limited Warranty has been designated as a "Limited Warranty." Nothing in this Limited Warranty is intended to be a representation that tire failures cannot occur. This Limited Warranty is given by Bridgestone, 200 4th Avenue South, Nashville, TN 37201.

OWNER'S OBLIGATIONS

In order to keep this limited warranty valid, we require you to have your tires regularly inspected and rotated per the recommendations outlined in the sections of the accompanying *Tire Maintenance and Safety* manual, available at www.bridgestonetire.com/customer-care/tire-warranties, entitled "Tire Damage, Inspection and Service Life" and "Radial Tire Rotation" and to furnish proof of same in order to receive an adjustment. Such proof should show the date, mileage, and servicing location. A sales receipt containing this information will suffice. In addition, a "Maintenance Record" is included in this manual.

Tires must be operated at the proper tire inflation pressures as specified by the vehicle manufacturer and within tire/vehicle load capacity and speed limitations. It is also your obligation to maintain proper wheel alignment and tire/wheel assembly balance.

To request an adjustment, you must present the tire to a Costco Wholesale and pay appropriate replacement price, taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges, if any.

Tires submitted to BATO under the limited warranty become property of BATO and may not be returned. Tires may undergo both non-destructive and destructive inspection methods. BATO will be responsible for disposal of submitted tires in our possession.

ARBITRATION

For purposes of this arbitration section: (a) the terms "we," "us" and "our" refer to Bridgestone Americas Tire Operations, LLC, its parents, subsidiaries, affiliates, predecessors, successors, assigns, employees, officers, agents and

directors; and (b) a "Claim" is any pre-existing, present, or future claim, dispute, or controversy between you and us arising out of or in connection with this limited warranty, or any other warranties, express or implied, including a failure of warranty and the validity of this arbitration clause, but excluding claims for personal injury or damage to property other than the warranted tire(s). You and we acknowledge that either you or we can choose to have any Claim resolved by binding arbitration. **If either you or we choose arbitration with respect to any Claim, neither you nor we will have, and each of us waives, the right to litigate that claim in court or to have a jury trial on that claim,** or to engage in pre-arbitration discovery, except as provided for in the arbitration rules of the American Arbitration Association ("AAA"). In addition, you will not have the right to participate as a representative or member of any class of claimants related to any Claim subject to arbitration. An arbitration can only decide our or your Claim and may not consolidate or join the claims of other persons who may have similar claims. **There shall be no authority for any Claims to be arbitrated on a class action basis.** The arbitrator's decision will be final and binding.

Any arbitration will be conducted in accordance with the AAA's rules applicable to consumer disputes. For additional information go to: <http://www.adr.org/>. Any arbitration hearing that you attend will take place in the federal judicial district where you reside. At your request, we will advance the first \$250 of the filing and hearing fees for any Claim you may file against us; the arbitrator will decide whether we or you will ultimately pay those fees. This arbitration agreement is made pursuant to a transaction involving interstate commerce and shall be governed by the Federal Arbitration Act, 9 U.S.C. Sections 1-16. The arbitrator shall apply applicable substantive law consistent with the Federal Arbitration Act and applicable statutes of limitations, and shall honor claims of privilege recognized at law. Judgment upon the award may be entered in any court of law of competent jurisdiction.

If this arbitration section (or any part of it) is determined invalid, void, prohibited, or illegal under any applicable statute or rule of law, it will be deemed severable and read down or omitted as necessary, without affecting any other provisions of this Agreement, which shall remain in full force and effect.

Customer, Vehicle, and Tire Identification

Customer Name

Address

City, State, Zip

Invoice #

Date of Purchase

Year of Vehicle	Make of Vehicle	Model of Vehicle	Beginning Mileage
-----------------	-----------------	------------------	-------------------

Tire Brand

☐ **BRIDGESTONE** ☐ **Firestone**

Product Information

Tire Size: Speed Rating:

Tire Type: Mileage Warranty:



Serial Numbers

1	2
3	4
5	6

Mileage Warranty Certificate

The dealer must stamp to be valid

VEHICLE MANUFACTURER’S
RECOMMENDED INFLATION PRESSURE

Front _____ PSI

Rear _____ PSI

J	F	M	A	M	J	J	A	S	O	N	D
---	---	---	---	---	---	---	---	---	---	---	---

MAINTENANCE RECORD

Mileage	Date	Dealer	Inspection	Rotation	Balance	Alignment

